



SOULBI 0 AF-11(AEEA Free Softener)

● Chemical Composition

Fatty acid amide compound

● Technical Specification

- ☆ Appearance: pale yellow flakes
- ☆ **PH value: 3~5 (5~10% solution)**
- ☆ Ionicity: weak cationic

● Dissolving Method

Add the flakes in water(room temperature) gradually in the proportion of 5-10%, stir them for 3-5 mins, heat up to 65-75°C and stir them again slowly until the flakes are totally dissolved.

● Properties

- ☆ Impart very soft, fluffy and full handle to fabric
- ☆ Good salt and Alkali resistance, and compatibility of other auxiliaries
- ☆ Low foam, low viscosity, suitable for dyeing and printing house
- ☆ AEEA free

Meet the Oeko-tex Standard 100(2013 version), also in line with the REACH regulations that promulgated by 144 SVHC requirements

● Field of Application

- ☆ Suitable for the finishing treatment of cotton, hemp, silk, chemical fiber, yarn and blended fabric
- ☆ Suitable for the finishing treatment of denim and a variety of fabric and clothing
- ☆ Suitable for the finishing treatment of dyeing and printing house

● Application

- ☆ Padding: Dosage: **20~30g/L (10% solution)** Temperature: **30~40°C**
Process: one dip and one pad or two dips and two pads
- ☆ Dipping: Dosage: **3~8% (o.w.f)** (10% solution) Temperature: **40~50°C**
Ratio: **1:10~15** Time: **30min**

● Storage and Packing

Shelf life: 12 months when store in cool, dry and shaded warehouse
Packing: **25kg** plastic woven bag

○ Compatibility of other auxiliaries and process need to be checked before application



Global Chemicals International Ltd.
高寶化工國際有限公司

中国

电话: 0769 86290888 传真: 0769 83392294

香港

电话: +852 25222811 传真: +852 29730033

Growing with You

你的希望 我的可能